



ICP101G/P - RATIONAL iCombi Pro - Model 10- 1/1 - Propane Gas Free- standing Combi Oven - 22 kW

The intelligent RATIONAL iCombi Pro 10-1/1 thinks, learns, watches and adapts, dynamically responding to requirements.

- ✓ 10 x GN 1/1 capacity, ideal for restaurants and foodservice applications
- ✓ Four intelligent assistants for climate management, cooking operation, production management, and cleaning
- ✓ iDensityControl delivers consistent and uniform results. At the same time, the intuitive operating concept provides the highest level of user support and less chance of errors
- ✓ iCookingSuite continuously checks the condition of the food against the desired result, calculates the cooking progress and intelligently adjusts the temperature to achieve. It also allows you to change the desired result, browning or cooking parameters during the cooking process
- ✓ iProductionManager optimises food production, simply place the dish on the display and it will show you what else you can produce at the same time
- ✓ iCareSystem - 9 cleaning programmes, including the ultrafast interim clean in approx. 12 minutes
- ✓ WiFi interface for connected cooking and easy access to HACCP documentation

Specifications

Summary

Brand	Lincat
Range	RATIONAL
Series	iCombi Pro
Power Type	Gas
Gas Type	Propane Gas
Unit Type	Free-standing
Available in UK Only	Yes
UK Warranty	RATIONAL 2 Years Parts and Labour Warranty

Power and Performance

Total Power kW	22
Temperature Range °C	30-300
IP Rating	IPX5
Temperature Control	Electronic
Oven Rating kW	Steam connection = 20.0; Hot air connection = 22.0

Key Specifications

WRAS Approved	Yes
Type of Lighting	LED
Number of Grids included	0

Capacity

Gastronorm Capacity	10 x GN1/1
Portions per Day	80-150

Weights and Dimensions		Supply Connections	
Unit Height (External) mm	1064	Requires Installation	Yes
Unit Width (External) mm	850	Requires Electrical Supply	Yes
Unit Depth (External) mm	842	UK 3 Pin Plug	Yes
Net Weight Kg	155	Requires Hardwiring	No
		Electrical Supply Rating Watts	900
		Single Phase Amps	16
		Single Phase Voltage	230
		Gas Connection BSP	3/4"
		Gas Pressure Propane mbar	25-57.5
		Total heat input at full rate Propane kW	22
		Water Connection Pressure Bar	6
		Drain Connection	DN 50 mm
		Water Connection	3/4"

Shipping	
Packed Weight Kg	170.5
Packed Height cm	125
Packed Width cm	93.5
Packed Depth cm	95.5

Available Accessories	
56.00.562	RATIONAL Care Tablets - x 150 [for use with iCC - iCP - SCC - CMP units]
60.11.581	RATIONAL Mobile Plate Rack - 32 Plates - Model 10-1/1
60.11.600	RATIONAL Mobile Oven Rack - Model 10-1/1 - 10 Racks - Rail Distance 64 mm - Requires Run-in Rail
60.11.602	RATIONAL Mobile Plate Rack - 26 Plates - Model 10-1/1
60.11.628	RATIONAL Finishing System for Banquets - inc Mobile Plate Rack, Thermocover and Transport Trolley - 32 Plates - Model 10-1/1
60.11.629	RATIONAL Finishing System for Banquets - inc Mobile Plate Rack, Thermocover and Transport Trolley - 26 Plates - Model 10-1/1
60.31.086	RATIONAL UG II Static Stand for Models 6-1/1, 10-1/1 - 14 Pairs of Support Rails - Side Panels and Top Panel - H 699 mm
60.31.089	RATIONAL UG I Static Stand for Models 6-1/1, 10-1/1 - Open on all Sides - H 699 mm
60.31.091	RATIONAL UG III Static Stand for Models 6-1/1, 10-1/1 - 14 Pairs of Support Rails - Side Panels, Rear Panel and Top Panel- H 699 mm
60.31.093	RATIONAL UG IV Static Stand for Models 6-1/1, 10-1/1 - 14 Pairs of Support Rails - Closed on all Sides, Double Wing Doors - H 699 mm
60.31.095	RATIONAL UG I Mobile Stand for Models 6-1/1, 10-1/1 - Open on all Sides - H 699 mm
60.31.103	RATIONAL UG II Mobile Stand for Models 6-1/1, 10-1/1 - 14 Pairs of Support Rails - Side Panels and Top Panel - H 699 mm
60.31.105	RATIONAL UG III Mobile Stand for Models 6-1/1, 10-1/1 - 14 Pairs of Support Rails - Side Panels, Rear Panel and Top Panel- H 699mm
60.31.107	RATIONAL UG IV Mobile Stand for Models 6-1/1, 10-1/1 - 14 Pairs of Support Rails - Closed on all Sides, Double Wing Doors - H 699 mm
60.70.464	RATIONAL Appliance Connection Kit - Model 6-1/1-20-2/1 - with Adapter for Model XS
60.70.943	RATIONAL Grill and Pizza Tray - GN1/1(325 x 530 mm)
60.71.157	RATIONAL Multibaker - 8 moulds - GN1/1(325 x 530 mm)
60.71.617	RATIONAL Grilling and Roasting Tray - GN1/1(325 x 530 mm)
60.72.592	RATIONAL Condensation Breaker - Models 6-1/1, 10-1/1, 6-2/1, 10-2/1
60.73.008	RATIONAL VarioSmoker
60.73.619	RATIONAL CombiFry® Frying Basket - GN2/3(325 x 354 mm)
60.73.646	RATIONAL Multibaker Tray - 5 Moulds - GN2/3(325 x 354 mm)
60.74.000	RATIONAL Transport Trolley for Mobile Oven Racks - Standard - H 990 mm - Model 6-1/1, 10-1/1
60.75.115	RATIONAL Standard Run-in Rail for Mobile Oven Racks - Models 6-1/1, 10-1/1
60.75.606	RATIONAL Transport Trolley for Mobile Oven Racks - Adjustable Height 800-1330 mm - Model 6-1/1, 10-1/1
60.75.751	RATIONAL Combi-Duo Kit - for Models 6-1/1E/G on 6-1/1G(Right Hinged) or XS 6-2/3 on 6-1/1G(Right Hinged)
60.75.773	RATIONAL Heat Shield for Left Side Panel - Model 10-1/1
6004.1009	RATIONAL Thermocover for Mobile Oven Rack and Mobile Plate Rack - Model 10-1/1

Available Accessories

6006.0110	RATIONAL Descaler - 10 litres [for iCombi Classic - iCombi Pro - SCC - CMP units]
6010.1101	RATIONAL Rust-free Stainless Steel Grid - GN1/1 (325 x 530 mm)
6013.1102	RATIONAL Stainless Steel Container - GN1/1 (325 x 530 mm) - 20 mm deep
6013.1103	RATIONAL Roasting and Baking Tray - Non-stick - GN1/1 (325 x 530 mm)
6013.1106	RATIONAL Stainless Steel Container - GN1/1 (325 x 530 mm) - 65 mm deep
6013.2302	RATIONAL Stainless Steel Container - GN2/3 (325 x 354 mm) - 20 mm deep
6013.2306	RATIONAL Stainless Steel Container - GN2/3 (325 x 354 mm) - 65 mm deep
6014.1102	RATIONAL Granite-enamelled Container - GN1/1 (325 x 530 mm) - 20 mm deep
6014.1104	RATIONAL Granite-enamelled Container - GN1/1 (325 x 530 mm) - 40 mm deep
6014.1106	RATIONAL Granite-enamelled Container - GN1/1 (325 x 530 mm) - 60 mm deep
6014.1202	RATIONAL Granite-enamelled Container - GN1/2 (325 x 265 mm) - 20 mm deep
6014.1204	RATIONAL Granite-enamelled Container - GN1/2 (325 x 265 mm) - 40 mm deep
6014.1206	RATIONAL Granite-enamelled Container - GN1/2 (325 x 265 mm) - 60 mm deep
6015.1103	RATIONAL Perforated Baking Tray - GN1/1 (325 x 530 mm)
6015.1165	RATIONAL Stainless Steel Perforated Container - GN1/1 (325 x 530 mm) - 55 mm deep
6019.1150	RATIONAL CombiFry® Frying Basket - GN1/1 (325 x 530 mm)
6019.1250	RATIONAL CombiFry® Frying Basket - GN1/2 (325 x 265 mm)
6035.1006	RATIONAL Chicken Superspike - 8 Chicken Capacity - GN1/1
6035.1010	RATIONAL Chicken Superspike - 10 Chicken Capacity - GN1/1
6035.1015	RATIONAL Chicken Superspike - 4 Chicken Capacity - GN1/2
6035.1016	RATIONAL Chicken Superspike - 6 Chicken Capacity - GN1/1
6035.1017	RATIONAL CombiGrill Griddle - 1/1 GN (325 x 530 mm)
6035.1018	RATIONAL Ribs Rack - GN1/1 (325 x 530 mm)
6035.1019	RATIONAL Potato Baker - GN1/1 (325 x 530 mm)



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm